

BIBLIOGRAPHIE

INTENSIFICATION DE LA PREVENTION

- Auvert B et al. (2001). Male circumcision and HIV infection in four cities in sub-Saharan Africa. *AIDS*, 15(Supplement 4): S31-S40.
- Hayes R et al. (1998). Geographical variations in the prevalence of HIV and other sexually transmitted infections: lower risk in lake-island communities in Mwanza region, Tanzania. *International Conference on AIDS*, 12;109.
- Alliance internationale contre le VIH/SIDA (2003) *Positive Prevention: Prevention strategies for people living with HIV/AIDS*. Brighton.
- Jordan-Harder B. et al., (2004) Thirteen years HIV-1 sentinel surveillance and indicators for behavioural change suggest impact of programme activities in south-west Tanzania. *AIDS*, 18(2):287-294.
- Salomon JA, Hogan DR, Stover J, et al., (2005) Integrating HIV prevention and treatment: From slogans to impact. *PLoS Med* 2: e16.
- Maman S et al. (2000). The intersections of HIV and violence: directions for future research and interventions. *Social Science and Medicine*, 50:459-78.
- McFarland W et al. (1999). Prevalence and incidence of herpes simplex virus type 2 infection among male Zimbabwean factory workers. *Journal of Infectious Diseases*, 180(5):1459-65, cited in Pisani (2003).
- Meehan A et al. (2004). Prevalence and risk factors for HIV in Zimbabwean and South African women. XV^e Conférence internationale sur le SIDA. Abstract MoPeC3468 Bangkok. 11-16 juillet.
- Montano et al. (2005) Prevalences, genotypes and risk factors for HIV transmission in South America *JAIDS* 40:1.
- Ministère de la Santé Ouganda (2005). *Uganda HIV/AIDS Sero-behavioural Survey 2004-05: Preliminary Report*. Ministère de la Santé. Kampala.
- Mpiima et al., (2003). *Increased demand for VCT services driven by introduction of HAART in Masaka District, Uganda*. Poster presentation to the Second IAS Conference on HIV Pathogenesis and Treatment, Paris, 13-17 July, cited in UNAIDS (2004a).
- Mwaluko G et al., (2003) Trends in HIV and sexual behaviour in a longitudinal study in a rural population in Tanzania 1994-2000. *AIDS*, 17(18):2645-2651.
- Myer L et al. (2005). Bacterial vaginosis and susceptibility to HIV infection in South African women: a nested case-control study. *Journal of Infectious Diseases*, 192.
- Population Council Horizons Program (2001) *HIV voluntary counselling and testing among youth ages 14 to 21*. Washington DC.
- Reproductive Health Research Unit, Medical Research Council (2004). *National Survey of HIV and Sexual Behaviour among Young South Africans*. Johannesburg, Reproductive Health Research Unit.
- Salomon JA, Hogan DR, Stover J, Stanecki KA, Walker N, et al. (2005) Integrating HIV prevention and treatment: From slogans to impact. *PLoS Med* 2: e16.
- Stolte IG et al (2002) *A summary report from Amsterdam: increase in sexually transmitted diseases and risky sexual behaviour among homosexual men in relation to the introduction of new anti-HIV drugs*. *Euro Surveill* 2002;7(2):19-22.
- Walker N et al. (2004) Estimating the global burden of HIV/AIDS: what do we really know about the HIV pandemic? *Lancet* 363: 2180-2185.
- ONUSIDA (2004) *Rapport sur l'épidémie mondiale de SIDA*. Genève.
- ONUSIDA (2004a) *Le point sur l'épidémie de SIDA 2004*. Genève.
- ONUSIDA (2005) *Intensification de la prévention du VIH – Document d'orientation politique*. Genève.
- ONUSIDA, UNFPA, OMS (2004) *Position Statement on condoms and HIV prevention*, Genève.
- USAID, ONUSIDA, OMS, UNICEF et Policy Project. *Coverage of Selected Services for HIV/AIDS prevention, care and support in low and middle income countries in 2003*, Washington DC, Policy Project, 2004.
- OMS (2003) *Antiretroviral therapy in primary health care: experience of the Khayelitsha programme in South Africa: case study*. Genève.
- OMS (2005) *Multi-country study on women's health and domestic violence against women*. Genève.
- OMS (2005a) *Rapport sur la santé dans le monde 2005*. Genève.

AFRIQUE SUBSAHARIENNE

- Asamoah-Odei E et Calleja T (2004). HIV prevalence trends in sub-Saharan Africa: an analysis of 5 years' ANC data. Slide presentation to the 'Evidence and causes of declines in HIV prevalence and incidence in countries with generalised epidemics' workshop. Harare, Zimbabwe, 15-17 November. Sponsored by UNAIDS, WHO, CDC and UNICEF.
- Baltazar G (2005). *HIV sentinel surveillance 2004*. Slide presentation. Juin. Ministère de la Santé Kenya.
- Binagwaho A et al. (2005). *Epidemiological developments regarding HIV/AIDS in Rwanda: 2005*. Briefing paper. CNLS, TRAC, ONUSIDA. Kigali.

- Centre de Recherche pour le Développement Humain et MEASURE DHS+ (2005). Enquête démographique et de santé 2005: Rapport Préliminaire. CRDH, MEASURE DHS+. Dakar, Calverton.
- Chelugot B, Marum L, et Stover J (2004). *Evidence of declining HIV prevalence and risk behaviour in Kenya*. Presentation to the UNAIDS Reference Group on Estimates, Modelling and Projections. 15-17 novembre. Harare.
- Cowan FM et al. (2005). *Evidence of a decline in incidence of HIV infection among young people in rural Zimbabwe*. Abstract MP-022. Paper presented to the 16th biennial meeting of the International Society for Sexually Transmitted Diseases Research. 10-13 juillet. Amsterdam.
- Department of Health, South Africa (2005). *National HIV and syphilis antenatal sero-prevalence survey in South Africa 2004*. Department of Health. Pretoria.
- Direction générale de la Lutte contre le SIDA et al. (2005). *Enquête nationale ANC Madagascar*. Direction générale de la Lutte contre le SIDA, Ministère de la Santé et Laboratoire national de Référence VIH/SIDA. Antananarivo.
- Ekra A et al. (2004). Evidence for changes in sexual behaviour and HIV incidence in Côte d'Ivoire. Presentation to the UNAIDS Reference Group on Estimates, Modelling and Projections. 15–17 novembre. Harare.
- Ministère fédéral de la Santé Ethiopie (2004). *AIDS in Ethiopia: 5th report*. Juin. Ministère fédéral de la Santé, Disease Prevention and Control Department. Addis Abeba.
- Ministère fédéral de la Santé Nigéria (2004). 2003 National HIV sero-prevalence sentinel survey: Technical Report. Ministère fédéral de la Santé. Abuja.
- Gomes do Espirito Santo ME et Etheredge GD (2005). Male clients of brothel prostitutes as a bridge for HIV infection between high risk and low risk groups of women in Senegal. *Sexually Transmitted Infections*, 81:342-344.
- Grupo tematico VIH/SIDA Angola (2002). A luta a epidemia de VIH/SIDA como uma prioridade nacional. Presentacao 11 Dezembro. Ministerio da saude do Angola, ONUSIDA. Luanda.
- Hargrove JW et al. (2005). Declining HIV prevalence and incidence in women attending maternity clinics in greater Harare, Zimbabwe. (Soumis pour publication)
- Human Rights Watch (2005). *Clear the filth: Mass evictions and demolitions in Zimbabwe*. Briefing paper. September. Human Rights Watch. New York. Disponible sur <http://www.hrw.org/backgrounder/africa/zimbabwe0905/>
- Jordan-Harder B et al. (2004). Thirteen years HIV-1 sentinel surveillance and indicators for behavioural change suggest impact of programme activities in south-west Tanzania. *AIDS*, 18(2):287-294.
- Kayirangwa E et Hanson J (2004). *Recent trends in HIV prevalence in Rwanda*. Presentation to the UNAIDS Reference Group on Estimates, Modelling and Projections. 15–17 Novembre. Harare.
- Kintin FD et al. (2004). *Enquête de prévalence des IST/VIH et des comportements sexuels chez les travailleuses du sexe et leurs partenaires masculins à Ouagadougou, Burkina Faso*. Novembre. Conseil national de lutte contre le sida et les IST, CIDA, CCSID. Ouagadougou.
- Mahomva A (2004). Trends in HIV prevalence and incidence and sexual behaviour. Presentation to the UNAIDS Reference Group on Estimates, Modelling and Projections. 15–17 Novembre. Harare.
- Mbulaiteye SM et al. (2002). Declining HIV-1 incidence and associated prevalence over 10 years in a rural population in south-west Uganda: a cohort study. *The Lancet*, 360. 6 juillet.
- Ministère de l'économie, des finances et du budget (2005). *Enquête Démographique et de Santé Madagascar 2003–2004*. Février. Institut national de la Statistique, ORC Macro. Antananarivo, Claverton, USA.
- Ministère de la Santé publique Burundi (2004). *Bulletin épidémiologique annuel de surveillance du VIH/SIDA/IST pour l'année 2003*. Octobre. Ministère de la santé publique. Bujumbura.
- Ministère de la santé publique Cameroun (2004). *EDSC-III 2004 Résultats Préliminaires*. Octobre. Institut national de la statistique, Ministère de la Santé publique, ORC Macro. Yaoundé, Claverton, USA.
- Ministère de la Santé Mali (2004). *Surveillance épidémiologique du VIH au Mali de 1985 à 2004*. Ministère de la Santé. Bamako.
- Ministère de la Santé et de la Prévention médicale Sénégal (2004). *Sénégal enquête démographique et de santé 2005 rapport préliminaire*. Juillet. Ministère de la Santé et de la Prévention médicale, Centre de Recherche pour le Développement Humain. MEASURE DHS+ ORC Macro. Dakar, Calverton, USA.
- Ministère de la Santé République du Congo (2004). *Evaluation de la séroprévalence des infections à VIH – Rapport d'analyse provisoire*. Ministère de la Santé. Brazzaville.
- Ministère de la Santé Rwanda (2001). *Enquête démographique et de santé (EDSR-II)*. Septembre. Office national de la population, ORC Macro. Kigali, Calverton, USA.
- Ministère de la Santé Togo (2004). *Rapport de surveillance de l'infection par le VIH dans le groupe des consultantes prénatales, Année 2003*. Février. Ministère de la Santé. Lomé.
- Ministère de la Santé Angola (2004). Relatório preliminar do estudo de seroprevalência de VIH, sífilis e hepatite B, mulheres grávidas em consulta prenatal. Ministério de la Santé. Luanda.

- Ministère de la Santé et du Bien-Etre des Enfants Zimbabwe, 2004 & 2005, à paraître.
- Ministère de la Santé Erythrée (2004). HIV prevention impact in Eritrea: Results from the 2003 Round of HIV Sentinel Surveillance. Ministère de la Santé. Asmara.
- Ministère de la Santé Kenya (2005). *AIDS in Kenya, 7th edition*. National AIDS and STI Control Programme (NAS COP), Ministère de la Santé. Nairobi.
- Ministère de la Santé Mozambique (2005). *Report on the update of the HIV epidemiological surveillance data: 2004 round*. Août. Ministère de la Santé. Maputo.
- Ministère de la Santé Ouganda (2005). *Uganda HIV/AIDS Sero-behavioural Survey 2004-05: Preliminary Report*. Ministère de la Santé. Kampala.
- Ministère de la Santé Ouganda (2003). *STD/HIV/AIDS surveillance report*. Juin. Ministère de la Santé. Kampala.
- Ministère de la Santé République-Unie de Tanzanie (2004). *Surveillance of HIV and Syphilis among Antenatal Clinic Enrollees 2003-2004*. Dar es Salaam.
- Ministère de la Santé et de la Population Malawi (2003). *HIV sentinel surveillance report 2003*. November. Lilongwe. Ministère de la Santé et de la Population.
- Ministère de la Santé et des Services sociaux Namibie (2004). *Report of the 2004 national HIV sentinel survey*. Ministère de la Santé et des Services sociaux. Windhoek.
- Ministère de la Santé et de la Protection sociale Lesotho (2005). *Report of the Sentinel HIV/Syphilis Survey 2005*. Septembre. STI/HIV and AIDS Directorate, Ministère de la Santé et de la Protection sociale. Maseru.
- Ministère de la Santé et de la Protection sociale Lesotho (2003). *2003 HIV sentinel survey report*. Octobre. Ministère de la Santé et de la Protection sociale. Maseru.
- Ministère de la Santé et de la Protection sociale Swaziland (2005). *9th round of national HIV serosurveillance in women attending antenatal care services at health facilities in Swaziland: survey report*. Mars. Ministère de la Santé et de la Protection sociale Swaziland. Mbabane.
- Ministère de la Santé et de la Protection sociale Swaziland (2002). *8th HIV sentinel serosurveillance report*. Décembre. Ministère de la Santé et de la Protection sociale Swaziland. Mbabane.
- Monze M (2004). Evidence for declines in HIV incidence: Zambia. Presentation to the UNAIDS Reference Group on Estimates, Modelling and Projections. 15-17 Novembre. Harare.
- Mugurungi O et al. (2005). HIV in Zimbabwe. In: Glynn JR, Carael M (eds.) *HIV, Resurgent Infections and Population Change in Africa*. Springer.
- Mundandi C et al. (2005). Sexual behaviour change, spatial mobility and stabilisation of the HIV epidemic in eastern Zimbabwe. Poster Exhibit 3495. 12 Juillet. XV^e Conférence internationale sur le SIDA, Bangkok.
- National AIDS Coordinating Agency, Botswana (2005). *Botswana AIDS Impact Survey II: Popular Report*. Mars. République du Botswana. Gaborone.
- National AIDS Coordinating Agency, Botswana (2003). *Botswana 2003 second generation HIV/AIDS surveillance: Technical report*. Décembre. Gaborone.
- National HIV/AIDS Council Zambia (2002). *ANC Sentinel surveillance of HIV/AIDS trends in Zambia, 1994–2002*. National HIV/AIDS Council, Sida, U.S. Centers for Disease Control and Prevention, Tropical Diseases Research Center. Lusaka.
- Nko S et al. (2004). Secretive females or swaggering males? An assessment of the quality of sexual partnership reporting in rural Tanzania. *Social Science & Medicine*, 59:299-310.
- Statistics SA (2005). *Mortality and causes of death in South Africa, 1997–2003*. Statistics SA. Pretoria.
- Reproductive Health Research Unit (2004). *HIV and Sexual Behaviour Among Young South Africans: A National Survey of 15-24 Year Olds*. Avril. Reproductive Health Research Unit, Johannesburg.
- Présidence du Faso (2005). Suivi de la Déclaration d'engagement sur le VIH/SIDA (UNGASS): Cadre pour la présentation des rapports pays—période concernée Janvier-Décembre 2004. Mars. Ouagadougou.
- Seychelles Communicable Disease Control Unit (2005). *Epidemiological Bulletin Seychelles*. Ministère de la Santé, OMS. Victoria.
- Statistics SA (2005). *Mortality and causes of death in South Africa, 1997–2003*. Statistics SA. Pretoria.
- ONUSIDA (2004). *2004 Rapport sur l'épidémie mondiale de SIDA*. Genève.
- ONUSIDA/OMS (2004b). *2004 Le point sur l'épidémie de SIDA*. Genève.
- ONUSIDA/OMS (2005). *Progress on global access to HIV antiretroviral therapy: An update on '3 by 5'*. ONUSIDA/OMS. Genève.
- UNICEF (2004). *Girls, HIV/AIDS and Education*. Décembre. UNICEF. New York. Disponible sur http://www.unicef.org/publications/index_25047.html
- Ward H, Walker N, et Ghys PD (2004). Methods and tools for HIV/AIDS estimates and projections. *Sexually Transmitted Infections*, 80(Supplement 1). Août.
- Wawer M et al. (2005). *Declines in HIV prevalence in Uganda: Not as simple as ABC*. Abstract 27 LB, 12th Conference on Retroviruses and Opportunistic Infections, 22-25 février 2005. Boston, USA.
- OMS (2005). *The 2004 First national second generation HIV/AIDS/STI sentinel surveillance survey among antenatal care women attending maternity and child health clinics, tuberculosis and STD patients*. Juillet. OMS. Somalie.

ASIE

- Altaf A et al. (2004). *Harm reduction among injection drug users in Karachi, Pakistan*. Document présenté à la XV^e Conférence internationale sur le SIDA. Juillet. Bangkok.
- Basu I et al. (2004). HIV prevention among sex workers in India. *Journal of Acquired Immune Deficiency Syndromes*, 36(3):845-852.
- Buavirat A et al. (2003). Risk of prevalent HIV infection associated with incarceration among injecting drug users in Bangkok, Thailand: case-control study. *British Medical Journal*, 326(7384): 308.
- Buckingham R et Meister E (2003). Condom utilization among female sex workers in Thailand: Assessing the value of the health belief model. *Californian Journal of Health Promotion*, 4(4):18-23.
- Center for Health Research et Ministère de la Santé (2002). *A study of injecting drug use behaviour in three cities: Surabaya, Jakarta and Bandung*. University of Indonesia.
- Ministère de la Santé Chine et Groupe thématique des Nations Unies sur le VIH/SIDA (2003). *A joint assessment of HIV/AIDS prevention, treatment and care in China (2004)*. Groupe thématique des Nations Unies sur le VIH/SIDA en Chine. Beijing.
- Choi KH et al. (2003). Emerging HIV-1 epidemic in China in men who have sex with men. *Lancet*, 361:2125-26.
- Department of Health Myanmar (2005). Sentinel surveillance data for March-April 2004. AIDS Prevention and Control Project. Yangon.
- Department of Health Myanmar (2004). Sentinel surveillance data for March-April 2004. AIDS Prevention and Control Project. Yangon.
- Department of Health Philippines (2003). *Status and trends of HIV/AIDS in the Philippines: The 2002 technical report of the National HIV/AIDS Sentinel Surveillance System*. Department of Health. Manille.
- Go VF et al. (2004). High HIV prevalence and risk behaviors in men who have sex with men in Chennai, India. *Journal of Acquired Immune Deficiency Syndromes*, 35(3):314-319.
- Hien NT et al. (2004a). HIV/AIDS epidemics in Vietnam: Evolution and responses. *AIDS Education and Prevention*, 16(Supplement A):137-154.
- Hien NT et al. (2004b). *Risk factors for HIV seropositivity among young heroin injecting drug users in Quang Ninh province, Viet Nam*. Soumis pour publication.
- Huang M et Hussein H (2004). The HIV/AIDS epidemic country paper: Malaysia. *AIDS Education and Prevention*, 16(Supplement A):1001-09.
- Kaufman J et Jing J (2002). China and AIDS—the time to act is now. *Science*, 296:2339-40.
- Lertpiriyasuwat C et al. (2003). A survey of sexual risk behavior for HIV infection in Nakhonsawan, Thailand, 2001. *AIDS*, 17(13): 1969-76.
- Mateo RJ et al. (2003). *HIV/AIDS in the Philippines*. *AIDS Education and Prevention*, 16(Supplement A):43-52.
- Ministère de la Santé et du Bien-Etre de la Famille Bangladesh (2004). *HIV in Bangladesh: The present scenario*. Novembre. Ministère de la Santé et du Bien-Etre de la Famille. Dhaka.
- Ministère de la Santé Malaisie et OMS (2004). *Consensus report on HIV and AIDS—Epidemiology in 2004: Malaysia*. Ministère de la Santé et OMS. Kuala Lumpur.
- Ministère de la Santé Pakistan, DfID, Family Health International (2005). *National study of reproductive tract and sexually transmitted infections: Survey of high-risk groups in Lahore and Karachi*, 2005. Ministère de la Santé, Department for International Development, Family Health International. Karachi.
- Ministère de la Santé Viet Nam (2005). *HIV/AIDS estimates and projections 2005-2010*. General Department of Preventive Medicine and HIV/AIDS Control, Ministère de la Santé. Hanoi.
- Monitoring the AIDS Pandemic Network (MAP) (2005a). *Drug injection and HIV/AIDS in Asia—MAP Report 2005*. Juillet. Genève.
- Monitoring the AIDS Pandemic Network (MAP) (2005b). *Sex work and HIV/AIDS in Asia—MAP Report 2005*. Juillet. Genève.
- Monitoring the AIDS Pandemic Network (MAP) (2004). *AIDS in Asia: Face the facts—A comprehensive analysis of the AIDS epidemics in Asia*. Genève.
- NACO (2004a). *Annual Report 2002–2003, 2003–2004*. Ministère de la Santé du Bien-Etre de la Famille. Delhi.
- NACO (2004b). *State-wise HIV prevalence (1998–2003)*. Ministère de la Santé et du Bien-Etre de la Famille. Delhi.
- National Center for AIDS/STD Prevention and Control China (2003). *Information on HIV/AIDS prevention and control*. Beijing.
- National Center for HIV/AIDS, Dermatology and STIs (NCHADS) (2004). *HIV Sentinel Surveillance (HSS) 2003: Trends Results, and Estimates*. Phnom Penh.
- Nemoto T (2004). HIV/AIDS surveillance and prevention studies in Japan: Summary and recommendations. *AIDS Education and Prevention*, 16(Supplement A):27-42.
- Ono-Kihara M et al. (2001). Sexual practices and the risk for HIV/STDs infection of youth in Japan. *Journal of the Japan Medical Association*, 126(9):1157-1160.
- Phimpachanh C et Sayabounthavong K (2004). The HIV/AIDS/STI situation in Lao People's Democratic Republic. *AIDS Education and Prevention*, 16(Supplement A): 91-99.

- Pisani E. (2003) *The Epidemiology of HIV at the Start of the 21st Century: Reviewing the Evidence*. Document de travail (Septembre). UNICEF. New York.
- Poshyachinda V (2005). *Review of Thailand's situation: Drugs and HIV. Slide presentation*. June. Institute for Health Research, Chulalongkorn University. Bangkok.
- Punpanich W et al. (2004). Thailand's response to the HIV epidemic: Yesterday, today and tomorrow. *AIDS Education and Prevention*, 16(Supplement A):119-136.
- Reza-Paul SRP et al. (2005). *An integrated behavioral and biological study among female sex workers in Mysore, India*. Abstract no. MP-106. Paper presented to the 16th biennial meeting of the International Society for Sexually Transmitted Disease Research, 10-13 juillet. Amsterdam.
- Riono P et Jazant S (2004). The current situation of the HIV/AIDS epidemic in Indonesia. *AIDS Education and Prevention*, 16(Supplement A):78-90.
- Saphonn V et al. (2005). Trends of HIV-1 seroincidence among HIV-1 sentinel surveillance groups in Cambodia, 1999-2002. *Journal of Acquired Immune Deficiency Syndromes*, 39(5):587-592.
- Shah SA, Altaf A, Mujeeb SA, et Memon A (2004). An outbreak of HIV infection among injection drug users in a small town in Pakistan: potential for national implications. *International Journal of STD & AIDS*, 15(3):209-210.
- Solomon S et al. (2004). A review of the HIV epidemic in India. *AIDS Education and Prevention*, 16(Supplement A):155-169.
- State Council AIDS Working Committee et Groupe thématique des Nations Unies sur le VIH/SIDA (2004). *A joint assessment of HIV/AIDS prevention, treatment and care in China (2004)*. Décembre. State Council AIDS Working Committee Office et Groupe thématique des Nations Unies sur le VIH/SIDA en Chine. Beijing.
- Thai Working Group on HIV/AIDS Projections (2001). *HIV/AIDS projections for Thailand: 2000–2020*. Mars. Bangkok.
- Thwe M (2004). HIV/AIDS education and prevention in Myanmar. *AIDS Education and Prevention*, 16(Supplement A):170-177.
- Toole M et al. (2005). *Study of young men's sexual behaviour: Vientiane, Lao People's Democratic Republic, August-November*. Burnet Institute.
- ONUSIDA (2004). *2004 Rapport sur l'épidémie mondiale de SIDA*. Genève.
- PNUD (2004). *Thailand's response to HIV/AIDS: progress and challenges*. Bangkok.
- Van Griensven F et al. (2005). Evidence of a previously undocumented epidemic of HIV infection among men who have sex with men in Bangkok, Thailand. *AIDS*, 19(5):521-526.
- Ministère du Travail, des Invalides et des Affaires sociales Viet Nam (2001). *Report results of the survey on high risk factors of drug abuse among groups of female prostitutes in Vietnam*. ONUDC.
- Wi T et al. (2002). *RTI/STD Prevalence in Selected Sites in the Philippines*. Manila, Department of Health and Family Health International.
- Yang H et al. (2005). Heterosexual transmission of HIV in China: A systematic review of behavioral studies in the past two decades. *Sexually Transmitted Diseases*, 32(5):270-280. Mai.
- Zhang K-L et al. (2004). Epidemiology of HIV and sexually transmitted infections in China. *Sexual Health*, 16:39-46.
- Zunyou W (2005). *Nationwide Scaling-up Harm Reduction – A Case Study from China*. Document présenté au 7^e Congrès international sur le SIDA en Asie et dans le Pacifique. 2 Juillet. Kobe.

EUROPE ORIENTALE ET ASIE CENTRALE

-
- OMS/EURO et al. (2004). *Preliminary results of the 2nd generation surveillance and prevalence of HIV in Moldova in 2003*. OMS/EURO, Pasteur Institute in St. Petersburg, National Scientific-Practical Centre for Preventive Medicine. République de Moldova.
- Aids Prevention Centre Latvia (2005). Statistics fact sheets. Riga. Disponible sur <http://aids.gov.lv/?sadala=146>.
- Aitken C et al. (2002). The impact of a police crackdown on a street drug scene: evidence from the street. *International Journal of Drug Policy*, 13:189-198
- Armenian National AIDS Center (2005). HIV/AIDS epidemic in the Republic of Armenia. Fact sheet. Yerevan. Disponible sur <http://www.arm aids.am>.
- Balakireva O et al. (2003). *The Prospects for Development of HIV Prevention Programmes among Injecting Drug Users*. UNICEF, ONUSIDA, Social Monitoring Centre. Kiev.
- Binagwaho A et al. (2005). *Epidemiological developments regarding HIV/AIDS in Rwanda: 2005*. Briefing paper. CNLS, TRAC, ONUSIDA. Kigali.
- Blumenthal R et al. (1997). Impact of law enforcement on syringe exchange programmes: a look at Oakland and San Francisco. *Medical Anthropology*, 18:61-64.
- Bobrik A et al. (2005). Prison Health in Russia: The Larger Picture. *Journal of Public Health Policy*, 26:30–59.
- Booth RE et al. (2004). Predictors of Self-Reported HIV Infection Among Drug Injectors in Ukraine. *Journal of Acquired Immune Deficiency Syndromes*, 35(1):82-88.
- Des Jarlais DC et al., (2002). HIV risk behaviour among participants of syringe exchange programmes in central/eastern Europe and Russia. *International Journal of Drug Policy*, 13:165-170.

- Eroshina K et al. (2005a). Cohort study on the effectiveness of Russian needle exchange programs. Handbook of the 16th Conference on the reduction of drug related harm. Mars. Belfast, Irlande du Nord.
- EuroHIV (2005). *HIV/AIDS Surveillance in Europe: End-year report 2004*, No. 71. Institut de Veille Sanitaire. Saint-Maurice.
- Federal Service of the Russian Federation in Consumer Rights Protection and Human Welfare, 2005.
- Field MG (2004). HIV and AIDS in the Former Soviet Bloc. *New England Journal of Medicine*, 315:117-120.
- Filatov A et Suharsky D (2002). Peculiarities of HIV infection among intravenous drug users in Minsk district, Yakut area. 4^e Conférence européenne sur le SIDA, Vilnius, Lituanie.
- FOCUS-MEDIA Public Health and Social Development Foundation (2005). *Telephone survey carried out among Moscow residents aged 15–29 to investigate knowledge and beliefs and about HIV/AIDS and attitudes toward safe sex*. Mars. Moscou.
- Gibson DR, Flynn NM, et Perales D (2001). Effectiveness of syringe exchange programs in reducing HIV risk behavior and HIV sero-conversion among injecting drug users. *AIDS*, 15:1329-1341.
- Grund, J-P et al.(2005). *QUO VADIS? Role of Injecting Drug Users in the Development of the Epidemic of HIV-Infection in Ukraine* (Rus.). Ukrainian AIDS Centre. Kiev.
- Grund J-P et al. (2001). Drug use patterns and HIV risk behaviours of Russian syringe exchange participants. Presented at the 12th International Conference on the Reduction of Drug-Related Harm. New Delhi.
- Health Protection Inspectorate Estonia (2005). HIV infections in Estonia fact sheet. Tallinn. Disponible sur www.tervisekaitse.ee.
- Human Rights Watch (2005). Positively abandoned: Stigma and discrimination against HIV-positive mothers and their children in Russia. July. Human Rights Watch. New York. Disponible sur <http://hrw.org/reports/2005/russia0605/>
- Kazakhstan AIDS Center, 2005.
- Lithuanian AIDS Center (2005). Fact sheets. Vilnius. Disponible sur <http://old.aids.lt>
- Lowndes, C. M. et al. (2002). *Female injection drug users who practice sex work in Togliatti City, Russian Federation: HIV prevalence and risk behaviour*. XIV^e Conférence internationale sur le SIDA. Abstract MoPeC3501. Barcelone.
- Ministère de la Santé Bélarus (2005a). *HIV epidemic situation in the Republic of Belarus*. Janvier. Ministère de la Santé. Minsk.
- Ministère de la Santé Bélarus (2005b). *Modern methods of HIV sentinel surveillance in the Republic of Belarus: Report on the results of studies*. Ministère de la Santé. Minsk.
- Ministère de la Santé Ukraine (2005). *Ukraine: National Report on the follow-up to the UNGASS Declaration of Commitment on HIV/AIDS – Reporting Period: 2003-2004*.
- Molotilov V et al. (2003). Rapid increase in HIV rates—Orel Oblast, Russian Federation, 1999–2001. *Morbidity and Mortality Weekly Report*, 52:657-660.
- Pokrovskiy V, Federal AIDS Centre (2005). HIV/AIDS in Russia. Presentation to HIV/AIDS in the Russian Federation and Ukraine workshop, Genève. Janvier.
- Republican AIDS Centre (2004). *Results of 2003 Sentinel Epidemiological Surveillance for HIV among Sex Workers in Kazakhstan*. Almaty, Republican AIDS Centre.
- Republican AIDS Centre (2001). *Behavioural Survey among Injecting Drug Users in Nine Cities of Kazakhstan*. Almaty, Republican AIDS Centre.
- Rhodes T et Simic M (2005). Transition and the HIV risk environment. *British Medical Journal*, 331:220-223.
- Rhodes T et al. (2004a). Injecting equipment sharing among injecting drug users in Togliatti City, Russian Federation. *Journal of Acquired Deficiency Syndromes*, 35(3):293-300.
- Rhodes T et al. (2004b). HIV transmission and HIV prevention associated with injecting drug use in the Russian Federation. *International Journal of Drug Policy*, 15:1-16.
- Russian Federal AIDS Centre (2005).
- Shakarishvili A et al. (2005). Sex work, drug use, HIV infection and spread of sexually transmitted infections in Moscow, Russian Federation. *The Lancet*, 366:57-60.
- Shabol'tas AV, Verebochikin SV, Hoffman I, Raider R, Perbyu TZ, Kozlov, AP. (2004). 'Organisatsiya kogortnogo issledovaniya I otsenka zarazhenosti I zarazhaemosti VICH sredi in'ektsionnikh narkopotrebitel'ei vSankt-Peterburge. [Cohort research and assessment of HIV infection rate and susceptibility to HIV infection among IDUs in St Petersburg]. *Russkii Zhurnal 'VICH/SPID I rodstvennie problemi'*. [Russian Journal: HIV/AIDS & related problems], 8(1): 20-28.
- Smolenskaya TT et. al. (2005). Sentinel Surveillance among Population Groups with Risk Behavior in North-West Russia. Personal communication.
- Todd CS et al. (2005). Human immunodeficiency virus (HIV) infection in female sex workers in Tashkent, Uzbekistan. Abstract MP-025. Paper presented to the 16th biennial meeting of the International Society for Sexually Transmitted Diseases Research. 10-13 juillet. Amsterdam.
- Ukrainian AIDS Centre (2005a). HIV infection in Ukraine. *Information Bulletin*, 24. Kiev.
- Ukrainian AIDS Centre (2005b); *Epidemiological Surveillance of HIV-infection and Sexually-Transmitted Infections – as a Component of the System of Second Generation Epidemiological Surveillance of HIV-infection in Ukraine (Ukr.)*.
- ONUSD (2005). *Illicit Drug Trends in the Russian Federation 2004*. Bureau régional de l'ONUSD pour la Russie et le Bélarus. Moscou.

ONUSIDA/OMS (2005). *Progress on global access to HIV antiretroviral therapy: An update on '3 by 5'*. ONUSIDA/OMS. Genève.

Bureau du Coordonnateur résident des Nations Unies et Ministère des Affaires étrangères (2005). Millennium Development Goals in Kazakhstan—MDG 6: Combat HIV/AIDS and tuberculosis. Astana.

USAID et Centers for Disease Control and Prevention (1998). *HIV/AIDS strategy in Russia, 1998-2000*. USAID. Washington.

Verevchkin SV et al. (2005). High prevalence of HIV infection among IDUs: No significant changes. *Russkii Zhurnal. SPID, Rak I obshchestvennoe zdorov'ye*, 9 (2). Presented at the 14th International Conference on AIDS, Cancer and Public Health. 23-27 mai. Saint-Pétersbourg.

Organisation mondiale de la Santé (2005); OMS/Europe, Ukraine: estimations of treatment needs. Disponible sur [Http://www.euro.who.int/aids/surveillance/20050419_1](http://www.euro.who.int/aids/surveillance/20050419_1).

CARAIBES

Camara B et Zaidi I (2005). The future of the HIV/AIDS epidemic in the Caribbean. *CAREC Surveillance Report Supplement 1* (June).

Camara B et al. (2003). The Caribbean HIV/AIDS epidemic epidemiological status / success stories: A summary. *CAREC Surveillance Report*, 23.

CAREC/OPS et Maxi Linder Foundation (2005a). *An HIV seroprevalence and behavioral study among commercial sex workers (CSW) in Suriname*. CAREC/OPS. Paramaribo.

CAREC/OPS et Maxi Linder Foundation (2005b). *An HIV seroprevalence and behavioral study among men who have sex with men (MSM) in Suriname*. CAREC/OPS. Paramaribo.

Centre d'Epidémiologie des Caraïbes, OPS, OMS (2003). *Success stories in the fight against HIV/AIDS in the Caribbean—An update*. Port of Spain, CAREC. Décembre.

Groupe d'experts techniques des Caraïbes (2004). *Strengthening the Caribbean Regional Response to the HIV Epidemic: Report of the Caribbean Technical Expert Group Meeting on HIV Prevention and Gender*. Projet de document de travail. 28-29 Octobre. Jamaïque.

Del Prado R. et al. (1998). *AIDS and Behavior Change. A population survey, A KAPB survey and an HIV seroprevalence study in Paramaribo, Suriname*. Paramaribo.

Department of Public Health Bahamas (2004). *HIV Surveillance 1992–2003*. Nassau, Department of Public Health.

Duke V et al. (2004). Seroprevalence of HIV, HSV-1 and HSV-2 among women in Tobago: A cord blood-based survey. *CAREC Surveillance Report*, 24(3). Novembre.

Gaillard EM et al. (2004a). *Le VIH/SIDA en Haïti: Une raison d'espérer*. Décembre. Policy Project.

Gaillard EM et al. (2004b). Evidence for changes in sexual behavior and HIV incidence in Haiti. Slide presentation. 15-17 Novembre. ONUSIDA/OMS/UNICEF. Harare.

Inciardi JA, Syvertsen JL, et Surratt HL (2005). HIV/AIDS in the Caribbean Basin. *AIDS Care*, 17(Supplement 1):S9-S25.

Kumar A et Singh B (2004). Impact of the AIDS Prevention Program on trends in prevalence and incidence of HIV infection among pregnant women in Barbados. XV^e Conférence internationale sur le SIDA. Abstract ThPeC2782. Bangkok. 11–16 juillet.

Ministère de la Santé Publique et de la Population Haïti et al. (2004). *Etude de sérosurveillance par méthode sentinelle de la prévalence du VIH, de la syphilis, de l'hépatite B et de l'hépatite C chez les femmes enceintes en Haïti 2003/2004*. Port-au-Prince, Ministère de la Santé Publique et de la Population. Juillet.

Ministère de la Santé Jamaïque (2004). *Jamaica HIV Sentinel Surveillance Serosurvey Report, 2004*. Division of Health Promotion and Protection, Ministère de la Santé. Jamaïque.

Monitoring the AIDS Pandemic (2003). *HIV infection and AIDS in the America*. MAP. La Havane.

OPS (2005). Care fact sheets. Organisation panaméricaine de la Santé. Washington DC, USA.

Palmer CJ et al. (2002). HIV Prevalence in a Gold Mining Camp in the Amazon Region, Guyana. *Emerging Infectious Diseases*, (8)3. Mars. Disponible sur <http://www.cdc.gov/ncidod/eid/vol8no3/01-0261.htm>.

Secrétariat d'Etat de la Santé publique et de l'Aide sociale République dominicaine (2005a). *De Segunda Generación Encuestas De Seroprevalencia de la Infección VIH Basadas en Puestos Centinelas 2004*. Marzo. Secrétariat d'Etat de la Santé publique et de l'Aide sociale, USAID-FHI/CONECTA. Saint-Domingue.

Secrétariat d'Etat de la Santé publique et de l'Aide sociale République dominicaine (2005b). *Encuestas de vigilancia del comportamiento sobre VIH/ SIDA/ ITS en RSX y HSH del Área V de Salud*. Janvier. Secrétariat d'Etat de la Santé publique et de l'Aide sociale. Saint-Domingue.

St John MA et al., (2003). Efficacy of Nevirapine Administration on Mother-to-Child Transmission of HIV using a modified HIVNET 012 regimen. *West Indian Medical Journal*, 51 (Suppl 3):1-87.

Susman E (2003). US could learn from Cuban AIDS policy. *AIDS*, 17:N7-8.

Toro-Alfonso J et Varas- Diaz N (2004). *Vulnerabilidad y Riesgo de los HSH en la República Dominicana 2004*. FHI/ CONECTA. Saint-Domingue.

ONUSIDA/OMS (2004). *Le point sur l'épidémie de SIDA – Décembre 2004*. ONUSIDA/OMS. Genève.

Weiss HA et al. (2001). The epidemiology of HSV-2 infection in four urban African populations *AIDS*, (15)Supp 4:S97-108.

AMERIQUE LATINE

- Bautista CT et al. (2004). Seroprevalence of and risk factors for HIV-1 infection among South American men who have sex with men. *Sexually Transmitted Infections*, 80:498-504.
- Carcamo C (2004). Informe de la consultaría sobre vigilancia epidemiológica a Bolivia. Document d'information. La Paz.
- CENSIDA (2003). Data from the National AIDS Cases Registry in Mexico. Centro Nacional para la Prevención y Control del SIDA. Mexico City; cited in Magis-Rodríguez (2004).
- Chequer P (2005). Apreentacao (Oral presentation to the IAS Rio Pathogenesis conference). *Boletim Epidemiologico – Aids e DST. Ano I – No. 01-26 de 2004 – semanas epidemiologicas. Janeiro a junho 2004*. Marco. Ministère de la Santé Brésil. Brasilia.
- García R (2005). Reducir la vulnerabilidad de las mujeres ante el VIH/Sida: Campaña mundial, prioridad nacional. *Revista Gerencia y Políticas de Salud*, 4(8) (sous presse).
- García R et al. (2005). Reduction of mother-to-child transmission of HIV in Colombia: Two years of national experience, 2003-2005. Soumis pour publication, Juillet.
- Guanira J et al. (2004). Second generation of HIV surveillance among men who have sex with men in Peru during 2002. XV^e Conférence internationale sur le SIDA. Abstract WePeC6162. Bangkok. 11–16 juillet.
- Khalsa JH, Francis H, et Mazin R (2003). Bloodborne and Sexually Transmitted Infections in Drug Abusers in the United States, Latin America, the Caribbean and Spain. *Clinical Infectious Diseases*, 37(Suppl 5):S331-7.
- Lambert M-L et al. (2005). Street youths are the only high-risk group for HIV in a low-prevalence South American country. *Sexually Transmitted Diseases*, 32(4):240-242.
- Magis C et al. (2000). *La respuesta mexicana al SIDA: mejores prácticas*. Consejo Nacional para la Prevención y Control del SIDA. Serie Ángulos del SIDA. México City.
- Magis-Rodríguez C et al. (2004). Migration and AIDS in Mexico: An overview based on recent evidence. *Journal of Acquired Immune Deficiency Syndromes*, 37(Supplement 4):S215-S226.
- Magis-Rodríguez C et al. (2002). People living with HIV estimate in Mexico. XIV^e Conférence internationale sur le SIDA. Abstract C10846. Barcelone. 7–12 juillet.
- Magis-Rodríguez C et al. (1997). Estudio sobre prácticas de riesgo de infección por VIH/SIDA en inyectores de drogas de la Cd. De Tijuana. *BC Revista Salud Fronteriza*, 2:31-14
- Marins JRP et al. (2003). Dramatic improvement in survival among adult Brazilian AIDS patients. *AIDS*, 17(11):1675-1682.
- Mejía A et al. (2002). HIV-1, syphilis and hepatitis B virus prevalence and risk factors among commercial sex workers, Bogota, Colombia, 2002. XV^e Conférence internationale sur le SIDA. Abstract WePeC6251. Bangkok. 11–16 juillet.
- Minichielloa SN, Uribe CMP, Anaya L, et Bertozzia S (2002). The Mexican HIV/AIDS Surveillance System: 1986–2001. *AIDS*, 16(suppl 3):S13-17.
- Ministère de la Santé Argentine (2004). *Boletín sobre el SIDA en la Argentina*. Ministère de la Santé. Octobre. Buenos Aires.
- Ministère de la Santé Equateur (2005). *Epidemiología del virus de inmunodeficiencia humana y síndrome de inmunodeficiencia adquirida en el Ecuador*. Juin. Quito.
- Ministère de la Santé Pérou (2005). *Sentinel surveillance report*. Ministère de la Santé Pérou, Directorate of Epidemiology. Lima.
- Ministère de la Santé Pérou (2004). *Redes de intercambio sexual en la dinámica de transmisión poblacional del VIH según niveles de la epidemia*. Ministère de la Santé. Lima.
- Ministère de la Santé publique et de l'Aide sociale, Programme national de lutte contre le VIH/IST. Asociación "Entre Amigos", San Salvador, El Salvador (2003). *Estudio Multicéntrico Centroamericano de Prevalencia de VIH/ITS y Comportamientos en Hombres que tienen Sexo con otros Hombres en El Salvador*.
- Ministère de la Santé publique et de l'Aide sociale Guatemala, Programme national de lutte contre le VIH/SIDA/IST, Organización de Apoyo a una Sexualidad Integral frente al SIDA (OASIS) Asociación de Salud Integral (ASI) Ciudad de Guatemala, Guatemala (2003). *Estudio Multicéntrico Centroamericano de Prevalencia de VIH/ITS y Comportamientos en Hombres que tienen sexo con otros hombres en Guatemala (EMC)*.
- Ministère de la Santé et OPS/OMS Bolivie (2003). *Document on the characterization of the HIV/AIDS epidemic in Bolivia*. Non publié.
- Ministère de la Santé Brésil (2005). *Boletim Epidemiologico – Aids e DST. Ano I – No. 01-26 de 2004 – semanas epidemiologicas. Janeiro a junho 2004*. Marco. Ministère de la Santé. Brasilia.
- Montano SM et al. (2005). Prevalences, genotypes and risk factors for HIV transmission in South America. *Journal of Acquired Immune Deficiency Syndromes*, 40(1):57-64.
- Commission nationale de lutte contre le SIDA Chili (2003). *Epidemiological Surveillance Report, December 2003*. CONASIDA. Santiago.
- Programme national de lutte contre le SIDA Paraguay (2005). *Epidemiological Surveillance Report*. Avril. Ministère de la Santé. Asunción.
- Programme national de lutte contre le SIDA Uruguay (2005). *Epidemiological Surveillance Report*. Avril. Ministère de la Santé. Montevideo.
- Osimani ML (2003). The Challenge of Implementation of Preventive Programs in a Developing Country: Experiences, Situations and Perspectives in Uruguay. *Clinical Infectious Diseases*, 37(Suppl 5):S422-6.

- OPS (2005). Care fact sheets. Organisation panaméricaine de la Santé. Washington DC, USA.
- Pando de los A et al. (2003). HIV immunodeficiency virus type 1 seroprevalence in men who have sex with men from Buenos Aires, Argentina: risk factors for infection. *International Journal of Epidemiology*, 32:735-740.
- Prieto F, Osorio A, et De Neira M (2004). Prevalencia de VIH en Población General Colombia 2003: VI Estudio Nacional Centinela de VIH 2003-2004. Primera Fase. *Información Quincenal Epidemiológica Nacional* (Colombia), 9(23-24):362-376.
- Prieto F (2003). Veinte años del VIH en Colombia, 1983-2003. Datos de la vigilancia epidemiológica. *Información Quincenal Epidemiológica Nacional* (Colombia), 8(22):355-366. Bogota.
- Secrétariat de la Santé Honduras (2003). Estudio Multicéntrico Centroamericano de prevalencia de HIV/ITS y Comportamientos en Poblaciones específicas en Honduras. Enero. Département IST/VIH/SIDA. Tegucigalpa.
- Segura M et. al. (2005). *Cohort of Men who have Sex with Men: recruitment, retention and seroincidence of HIV and other sexually-transmitted infections*. Poster presentation to the IAS Pathogenesis conference 2005. Rio de Janeiro, Juillet 2005.
- ONUSIDA (2004). *2004 Rapport sur l'épidémie mondiale de SIDA*. ONUSIDA. Genève.
- ONUSIDA/OMS (2004). *Epidemiological Fact Sheet: Various (2004 update)*. ONUSIDA/OMS. Genève. Disponible sur <http://www.who.int/hiv/pub/epidemiology/pubfacts/en/>
- ONUSIDA/OMS (2003). *Le point sur l'épidémie de SIDA 2003*. Genève, ONUSIDA/OMS.
- Weissenbacher M et al. (2003). AIDS National Center of Reference, Argentina. High Seroprevalence of Bloodborne Viruses among Street – Recruited Injection Drug Users from Buenos Aires, Argentina. *Clinical Infectious Diseases*, 37(Suppl 5): S348-52

AMERIQUE DU NORD, EUROPE OCCIDENTALE ET CENTRALE

- British Medical Association (2005). Sexually transmitted infections (STI): An update. Fact sheet. January. Disponible sur <http://www.bma.org.uk/ap.nsf/Content/STIupd05~UK>.
- De la Fuente L et al. (2003). Lessons from the history of the human immunodeficiency virus / acquired immunodeficiency syndrome epidemic among Spanish drug injectors. *Clinical Infectious Diseases*, 37(suppl 5):S410-5.
- Dodds JP (2005). *HIV prevalence and sexual behaviour in community samples of men who have sex with men in Brighton, Manchester and London*. Abstract no. MP-100. Paper presented to the 16th biennial meeting of the International Society for Sexually Transmitted Diseases Research. 10-13 juillet. Amsterdam.
- Dougan S et al. (2005). HIV infections acquired through heterosexual intercourse in the United Kingdom: findings from national surveillance. *British Medical Journal*, 330:1304-1305. 4 juin.
- Elford J et al. (2005a). *Unsafe sex among MSM living in London: still increasing?* Abstract no. MP-096. Paper presented to the 16th biennial meeting of the International Society for Sexually Transmitted Diseases Research. 10-13 juillet. Amsterdam.
- Elford J et al. (2005b). *Does the recent increase in new HIV diagnoses among men who have sex with men in the United Kingdom reflect a rise in HIV incidence?* Abstract no. MP-039. Paper presented to the 16th biennial meeting of the International Society for Sexually Transmitted Diseases Research. 10-13 juillet. Amsterdam.
- Elford J et al. (2004). Trends in sexual behaviour among London homosexual men 1998-2003: implications for HIV prevention and sexual health promotion. *Sexually Transmitted Infections*, 80:451-454.
- EuroHIV (2005). *HIV/AIDS surveillance in Europe: End-year report 2004* (No 71). Insitut de Veille Sanitaire. Saint-Maurice.
- Gambotti L and the acute hepatitis C collaborating group (2005). Acute hepatitis C infection in HIV positive men who have sex with men in Paris, France, 2001-2004. *Eurosurveillance*, 10(4-6), avril-juin.
- Giuliani M et al. (2005). Increased HIV incidence among men who have sex with men in Rome. *AIDS*, 19(13):1429-1431.
- Glynn M, Rhodes P (2005). *Estimated HIV prevalence in the United States at the end of 2003*. Abstract No. 595. National HIV Prevention Conference. Juin. Atlanta, USA.
- Hamers FF and Downs AM (2004). The changing face of the HIV epidemic in western Europe: what are the implications for public health policies? *Lancet*, 364:83-94.
- Leone P et al. (2005). HIV transmission among black women – North Carolina, 2004. *Morbidity and Mortality Weekly Report*, 54(4):89-94. 4 February. Disponible sur <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5404a2.htm>.
- Lot F et al. (2004). Preliminary results from the new HIV surveillance system in France. *Eurosurveillance*, 9(4).
- McKnight CA (2005). Update: Syringe exchange programs, United States, 2002. *Morbidity and Mortality Weekly Report*, 54(27):673-676. 15 juillet. Disponible sur <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5427a1.htm>.
- McMahon et al. (2004). Increased sexual risk behaviour and high HIV sero-incidence among drug-using low-income women with primary heterosexual partners. XV^e Conférence internationale sur le SIDA. Abstract TuOrD1220. Bangkok. 11-16 juillet.
- McQuillan G, Kottiri B, et Kruszon-Moran D (2005). The Prevalence of HIV in the United States Household Population: The National Health and Nutrition Examination Surveys, 1988-2002. Abstract 166LB. 12th International Conference on Retroviruses and Opportunistic Infections, 22-25 février. Boston, USA.
- Mazick A et al. (2005). Hepatitis A outbreak among MSM linked to casual sex and gay saunas in Copenhagen, Denmark. *Eurosurveillance*, 10(4-6), avril-juin.

- Montgomery JP et al. (2003). The extent of bisexual behaviour in HIV-infected men and implications for transmission to their female sex partners. *AIDS Care*, 15:829-837.
- Murphy G et al. (2004). HIV incidence appears constant in men who have sex with men despite widespread use of effective antiretroviral therapy. *AIDS*, 18(2):265-272.
- National AIDS Centre (2005). *HIV and AIDS in Poland: From the beginning of the epidemic in 1985 till the end of 2004*. Slide presentation. Varsovie.
- Prabhu R et al. (2004). The bisexual bridge revisited: sexual risk behaviour among men who have sex with men and women, San Francisco, 1998-2003. *AIDS*, 18(11):1604-1606.
- Agence de santé publique du Canada (2005). *Le VIH et le sida au Canada: Rapport de surveillance en date du 31 décembre 2004. Division de la surveillance et de l'évaluation des risques*, Agence de santé publique du Canada. Ottawa. Disponible sur <http://www.phac-aspc.gc.ca/publicat/aids-sida/haic-vsac1204/index.html>
- Robert Koch Institut (2005). HIV-Infektionen/AIDS: Halbjahresbericht I/2005. *Epidemiologisches Bulletin*, 30. Septembre. Disponible sur <http://www.rki.de/>
- UK Collaborative Group for HIV and STI Surveillance (2004). *Focus on Prevention. HIV and other Sexually Transmitted Infections in the United Kingdom in 2003*. November. Health Protection Agency Centre for Infections. Londres.
- US Centers for Disease Control and Prevention (2005). HIV prevalence, unrecognized infection, and HIV testing among men who have sex with men—five U.S. cities, June 2004-April 2005. *Morbidity and Mortality Weekly Report*, 54(24):597-601.
- US Centers for Disease Control and Prevention (2004a). *HIV/AIDS Surveillance Report*, 15. Centers for Disease Control and Prevention. Atlanta, U.S.A. Disponible sur <http://www.cdc.gov/hiv/stats/hasrlink.htm>
- US Centers for Disease Control and Prevention (2004b). *HIV/AIDS Among African Americans. Fact Sheet*. US Centers for Disease Control and Prevention. Atlanta, U.S.A. Disponible sur <http://www.cdc.gov/hiv/pubs/facts/afam.htm>
- Valleroy LA et al. (2004). The bridge for HIV transmission to women from 15- to 29-year-old men who have sex with men in 7 US cities. XV^e Conférence internationale sur le SIDA. Abstract ThOrC1367. Bangkok. 11–16 juillet.
- Vall Mayns M et al. (2004). Outbreaks of infectious syphilis and other STIs in men who have sex with men in Barcelona, 2002–2003. *Eurosurveillance*, 9(4):60.
- Van de Laar M et Op de Coul ELM (2004). Increase in STIs in the Netherlands slowed in 2003. *Eurosurveillance*, 9(4).
- Walensky RP et al. (2005). 2 Million years of lives saved: The survival benefits of AIDS therapy in the United States. Abstract 143LB. Presented at the 12th Conference on Retroviruses and Opportunistic Infections, 22–25 February. Boston, MA, USA.

MOYEN-ORIENT ET AFRIQUE DU NORD

- Abdulrahman A et al. (2004). Mode of transmission of HIV-1 in Saudi Arabia. *AIDS*, 18(10):1478-1480.
- El-Rahman A (2004). Risky behaviours for HIV/AIDS infection among a sample of homosexuals in Cairo city, Egypt. XV^e Conférence internationale sur le SIDA. Abstract WePeC6146. Bangkok. 11–16 juillet.
- Fares E et al. (2004). Epidemiological surveillance of HIV/AIDS in Algeria, North Africa, based on the sentinel sero-surveillance survey. XV^e Conférence internationale sur le SIDA. Abstract C10572. Bangkok. 11–16 juillet.
- Institut de Formation paramédicale de Parnet (2004). Rapport de la réunion d'évaluation à mi-parcours de l'enquête de séro-surveillance du VIH. 9 juin.
- Jenkins C et Robalino D (2003). *HIV/AIDS in the Middle East and North Africa: The cost of Inaction*. Banque mondiale. Washington.
- Ministère de la Santé Soudan (2005). *Annual report*. Sudan National HIV/AIDS Surveillance Unit. Khartoum.
- Razzaghi E et al. (1999). *Rapid Situation Assessment of Drug Abuse in Iran. Ministère de la Santé et Programme des Nations Unies pour le contrôle international des drogues*. Teheran; cited in Zamani S et al. (2005).
- Sammud A (2005). *HIV in Libya*. Août. Ministère de la Santé. Tripoli.
- Programme national de lutte contre le SIDA Soudan (2004a). *Antenatal situation analysis & behavioral survey: results and discussions*. Khartoum.
- Programme national de lutte contre le SIDA Soudan (2004b). *Sex sellers situation analysis & behavioral survey: results and discussions*. Khartoum.
- Programme national de lutte contre le SIDA Soudan (2004c). *Internally Displaced People situation analysis & behavioral survey: results and discussions*. Khartoum.
- Programme national de lutte contre le SIDA Soudan (2004d). *University Students situation analysis & behavioral survey: results and discussions*. Khartoum.
- ONUSIDA/OMS (2004). *Le point sur l'épidémie de SIDA Décembre 2004*. Genève
- OMS/EMRO (2005). *Progress Report on HIV/AIDS and '3 by 5'*. July. OMS, Le Caire.
- Zamani S et al. (2005). Prevalence of and factors associated with HIV-1 infection among drug users visiting treatment centers in Tehran, Iran. *AIDS*, 19:709-716.

OCEANIE

Ministère de la Santé Nouvelle-Zélande (2005). *AIDS-New Zealand* (Issue 55). Février.

National AIDS Council & National Department of Health PNG (2004). *The report of the 2004 national consensus workshop of Papua New Guinea*. Port Moresby.

National Centre in HIV Epidemiology and Clinical Research (2005). *HIV/AIDS, viral hepatitis and sexually transmissible infections in Australia: Annual Surveillance Report 2005*. National Centre in HIV Epidemiology and Clinical Research. Sydney. Disponible sur <http://www.med.unsw.edu.au/nchechr>.

Pisani E et Dili STI survey team (2004). *HIV, STIs and risk behaviour in East Timor: an historic opportunity for effective action*. Family Health International. Dili, Timor Leste.

Secretariat of the Pacific Community, AIDS Section (2005). *Spread of HIV in the Pacific region—1984 to 2004*. Document d'information. Juin.

Sullivan EA et al. (2004). HIV, Hepatitis B and other sexually transmitted infections and associated risk behaviours in Pacific-island seafarers, Kiribati. XV^e Conférence internationale sur le SIDA. Abstract ThP2C735. Bangkok. 11–16 juillet.