


BUSINESS AS USUAL



2.5 MILLION
NEW ADULT HIV INFECTIONS


FAST-TRACK STRATEGY



0.2 MILLION
NEW ADULT HIV INFECTIONS

A SHORT FIVE-YEAR WINDOW

DECLINE IN NEW ADULT HIV INFECTIONS




5


YEAR
WINDOW

MASSIVE TREATMENT PUSH NEEDED IN THE NEXT FIVE YEARS

People on HIV treatment in low- and middle-income countries




THE IMPORTANCE OF LOCATION AND POPULATION




**MAKING THE AIDS
INVESTMENT CASE:**

US\$1 = US\$ 15


LOW-INCOME COUNTRIES NEED MAXIMUM SUPPORT




LOWER-MIDDLE-INCOME COUNTRIES WILL NEED CONTINUED SUPPORT



UPPER-MIDDLE-INCOME COUNTRIES NEED INNOVATIVE FINANCING



BALANCED AND EFFICIENT AIDS RESPONSE PORTFOLIO



- Cash Transfers for Girls
- Pre-exposure prophylaxis
- Prevention
- Treatment
- Critical enablers
- Synergies






BRICS 2014


Brasil

90-90-90 WORKING ON MULTIPLE FRONTS




35 MILLION PEOPLE LIVING WITH HIV

35 MILLION
PEOPLE LIVING WITH HIV




PRICES PAID (US\$/PATIENT-YEAR) FOR WHO-RECOMMENDED FIRST LINE REGIMENS

Country and number of tablets/day included in the treatment regimen




TOWARDS THE UNAIDS 90-90-90 TARGETS IN GERT SIBANDE (SOUTH AFRICA)



Treatment 2015 : Situation Room

PEOPLE RECEIVING ANTIRETROVIRAL THERAPY AND COVERAGE



TARGET
500 000
New adult HIV
infections by
2020

TARGET
ZERO
discrimination
by 2020

75%
reduction in new
HIV infections
among key
populations

75%
reduction in new HIV
infections among
young women
and girls

0
new punitive
laws

50%
reduction in
punitive laws and
policies

PrEP

80%
Voluntary
medical male
circumcision

Zero
discrimination
in health care
settings

90%
reduction in
stigma and
discrimination


85% basic
prevention
services

40%
opioid
substitution
therapy


30 condoms
per year

30% cash
transfer


HAITI



9 out of 10
pregnant women living with HIV
would have access to antiretroviral
therapy



1 out of 3
men who have sex with men would
not be able to access HIV services




1 out of 2
female sex workers would not be
able to access HIV services

AMBITIOUS TARGETS PRODUCE IMPACT

DECLINE IN AIDS RELATED DEATHS AS ACCESS TO TREATMENT INCREASES

TARGETS SET



SIERRA LEONE

61 %
decrease in ART initiation

