

### Indicator 3 - Blood Safety - Donated-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All
Percentage of donated blood units screened in a quality assured manner	-
Number of donated blood units screened for HIV in blood centres/blood screening laboratories that have both: (1) followed documented standard operating procedures and (2) participated in an external quality assurance scheme	-
Number of donated blood units screened, using documented standard operating procedures	-
Number of donated blood units screened in laboratories that participate in an EQA Scheme	-
Total number of blood units donated	-

## Indicator 4 – HIV Treatment: Antiretroviral Therapy-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All	Males	Females	<15	15+
Percentage of adults and children with advanced HIV infection receiving antiretroviral therapy (Percent)	-	-	-	-	-
Number of adults and children with advanced HIV infection who are currently receiving antiretroviral therapy in accordance with the nationally approved treatment protocol (or WHO/UNAIDS standards) at the end of the reporting period	-	-	-	-	-
Estimated number of adults and children with advanced HIV infection	-	-	-	-	-

## Indicator 4 – HIV Treatment: Antiretroviral Therapy-2008

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All	Males	Females	<15	15+
Percentage of adults and children with advanced HIV infection receiving antiretroviral therapy (Percent)	-	-	-	-	-
Number of adults and children with advanced HIV infection who are currently receiving antiretroviral therapy in accordance with the nationally approved treatment protocol (or WHO/UNAIDS standards) at the end of the reporting period	-	-	-	-	-
Estimated number of adults and children with advanced HIV infection	-	-	-	-	-

## Indicator 5 - Prevention of Mother-to-Child Transmission-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All
Percentage of HIV-infected pregnant women who received antiretrovirals to reduce the risk of mother-to-child transmission	-
Number of HIV-infected pregnant women who received antiretroviral during the last 12 months to reduce mother-to child transmission	-
Disaggregation by ARV regimen : Single-dose Nevirapene only	-
Prophylactic regimens using a combination of two ARVs	-
Prophylactic regimens using a combination of three ARVs	-
ART for HIV-infected pregnant women eligible for treatment	-
Other	-
Estimated number of HIV-infected pregnant women in the last 12 months	-

## Indicator 5 - Prevention of Mother-to-Child Transmission-2008

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All
Percentage of HIV-infected pregnant women who received antiretrovirals to reduce the risk of mother-to-child transmission	-
Number of HIV-infected pregnant women who received antiretroviral during the last 12 months to reduce mother-to child transmission	-
Disaggregation by ARV regimen : Single-dose Nevirapene only	-
Prophylactic regimens using a combination of two ARVs	-
Prophylactic regimens using a combination of three ARVs	-
ART for HIV-infected pregnant women eligible for treatment	-
Other	-
Estimated number of HIV-infected pregnant women in the last 12 months	-

## Indicator 6 - Co-Management of Tuberculosis and HIV Treatment-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All	Males	Females	<15	15+
Percentage of estimated HIV-positive incident TB cases that received treatment for TB and HIV	-	-	-	-	-
Number of adults with advanced HIV infection who are currently receiving antiretroviral therapy in accordance with the nationally approved treatment protocol (or WHO/UNAIDS standards) and who were started on TB treatment (in accordance with national TB programme guidelines) within the reporting year	-	-	-	-	-
Estimated number of incident TB cases in people living with HIV	-	-	-	-	-

## Indicator 7 - HIV Testing in the General Population-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males				Females			
		All	15-19	20-24	25-49	All	15-19	20-24	25-49
Percentage of women and men aged 15-49 who received an HIV test in the last 12 months and who know their results	-	-	-	-	-	-	-	-	-
Number of respondents aged 15-49 who have been tested for HIV during the last 12 months and who know their results	-	-	-	-	-	-	-	-	-
Number of all respondents aged 15-49	-	-	-	-	-	-	-	-	-

## Indicator 8 - HIV Testing in Sex Workers-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of sex workers who received an HIV test in the last 12 months and who know their results	-	-	-	-	-
Number of sex workers who have been tested for HIV during the last 12 months and who know their results	-	-	-	-	-
Number of sex workers included in the sample	-	-	-	-	-



## Indicator 8 - HIV Testing in Men who Have Sex with Men-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	<25	25+
Percentage of men who have sex with men who received an HIV test in the last 12 months and who know their results	-	-	-
Number of men who have sex with men who have been tested for HIV during the last 12 months and who know their results	-	-	-
Number of men who have sex with men included in the sample	-	-	-

## Indicator 8 - HIV Testing in Injecting Drug Users-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of injecting drug users who received an HIV test in the last 12 months and who know their results	-	-	-	-	-
Number of injecting drug users who have been tested for HIV during the last 12 months and who know their results	-	-	-	-	-
Number of injecting drug users included in the sample	-	-	-	-	-

## Indicator 9 - Prevention Programmes: Sex Workers-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of sex workers who answered «Yes» to both questions	-	-	-	-	-
Number of sex workers who answered «Yes» to both questions	-	-	-	-	-
Total number of sex workers surveyed	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of sex workers who answered «Yes» to question 1, «Do you know where you can go if you wish to receive an HIV test?»	-	-	-	-	-
Number of sex workers who replied «yes» to question 1	-	-	-	-	-
Total number of sex workers surveyed	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of sex workers who answered «Yes» to question 2 «In the last 12 months, have you been given condoms?»	-	-	-	-	-
Number of sex workers who answered	-	-	-	-	-

«Yes» to question 2					
Total number of sex workers surveyed	-	-	-	-	-

## Indicator 9 - Prevention Programmes: Men Who have Sex with Men-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	<25	25+
Percentage of men who have sex with men who answered «Yes» to both questions	-	-	-
Number of men who have sex with men who answered «Yes» to both questions	-	-	-
Total number of men who have sex with men surveyed	-	-	-

	All	<25	25+
Percentage of men who have sex with men who answered «Yes» to question 1, «Do you know where you can go if you wish to receive an HIV test?»	-	-	-
Number of men who have sex with men who replied «Yes» to question 1	-	-	-
Total number of men who have sex with men surveyed	-	-	-

	All	<25	25+
Percentage of men who have sex with men who answered «Yes» to question 2 «In the last 12 months,	-	-	-

have you been given condoms?»			
Number of men who have sex with men who replied «Yes» to question 2	-	-	-
Total number of men who have sex with men surveyed	-	-	-

## Indicator 9 - Prevention Programmes: Injecting Drug Users-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of injecting drug users who answered «Yes» to both questions	-	-	-	-	-
Number of injecting drug users who answered «Yes» to both questions	-	-	-	-	-
Total number of injecting drug users surveyed	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of injecting drug users who answered «Yes» to question 1, «Do you know where you can go if you wish to receive an HIV test?»	-	-	-	-	-
Number of injecting drug users who replied «Yes» to question 1	-	-	-	-	-
Total number of injecting drug users surveyed	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of injecting drug users who answered «Yes» to question 2 «In the last 12 months, have you been	-	-	-	-	-

given condoms?»					
Number of injecting drug users who answered «Yes» to question 2, «In the last 12 months, have you been given condoms? »	-	-	-	-	-
Total number of injecting drug users surveyed	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of injecting drug users who answered «Yes» to question 3, «In the last twelve months, have you been given sterile needles and syringes? (e.g. by an outreach worker, a peer educator or from a needle exchange programme)»	-	-	-	-	-
Number of injecting drug users who answered «Yes» to question 3	-	-	-	-	-
Total number of injecting drug users surveyed	-	-	-	-	-



## Indicator 10 - Support for Children Affected by HIV and AIDS-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All
Percentage of orphaned and vulnerable children aged 0-17 whose households received free basic external support in caring for the child	-
<p>Number of orphaned and vulnerable children aged 0–17 who live in households that received at least one of the four types of support for each child (answered “yes” to at least one of questions 1, 2, 3 and 4.)</p> <p>1. Has this household received medical support, including medical care and/or medical care supplies, within the last 12 months?</p> <p>2. Has this household received school-related assistance, including school fees, within the last 12 months? (This question is to be asked only of children aged 5–17.)</p> <p>3. Has this household received emotional/psychological support, including counselling from a trained counsellor and/or emotional/spiritual support or companionship within the last three months?</p> <p>4. Has this household received other social support, including socioeconomic support (e.g. clothing, extra food, financial support, shelter) and/or instrumental support (e.g. help with household work, training for caregivers, childcare, legal services) within the last three months?</p>	-
Number of orphaned and vulnerable children aged 0-17	-

## Indicator 11 - Life Skills-based HIV Education in Schools-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All	Primary	Secondary
Percentage of schools that provided life skills-based HIV education in the last academic year	-	-	-
Number of schools that provided life skills-based HIV education in the last academic year	-	-	-
Number of schools surveyed	-	-	-

## Indicator 12 - Orphans: School Attendance-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All	Males	Females
Part A- Current school attendance rate of orphans aged 10-14	-	-	-
Number of children who have lost both parents and who attend school	-	-	-
Number of children who have lost both parents	-	-	-

	All	Males	Females
Part B -Current school attendance rate of children aged 10-14 both of whose parents are alive and who live with at least one parent	-	-	-
Number of children both of whose parents are alive, who are living with at least one parent and who attend school	-	-	-
Number of children both of whose parents are alive who are living with at least one parent	-	-	-

## Indicator 13 - Young People: Knowledge about HIV Prevention-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males			Females		
		All	15-19	20-24	All	15-19	20-24
Percentage of women and men aged 15-24 who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission	-	-	-	-	-	-	-
Number of respondents age 15-24 who gave correct answers to all 5 questions	-	-	-	-	-	-	-
Number of all respondents age 15-24	-	-	-	-	-	-	-

	All	Males			Females		
		All	15-19	20-24	All	15-19	20-24
Percentage of respondents who gave a correct answer to question 1 « Can the risk of HIV transmission be reduced by having sex with only one uninfected partner who has no other partners? »	-	-	-	-	-	-	-
Number of	-	-	-	-	-	-	-

respondents/population who gave correct answer to question 1							
Number of all respondents age 15-24	-	-	-	-	-	-	-

	All	Males			Females		
		All	15-19	20-24	All	15-19	20-24
Percentage of respondents who gave a correct answer to question 2« Can a person reduce the risk to getting HIV by using a condom every time they have sex? »	-	-	-	-	-	-	-
Number of respondents/population who gave correct answer to question 2	-	-	-	-	-	-	-
Number of all respondents age 15-24	-	-	-	-	-	-	-

	All	Males			Females		
		All	15-19	20-24	All	15-19	20-24
Percentage of respondents who gave a correct answer to question 3 "Can a healthy-looking person have HIV" ?	-	-	-	-	-	-	-
Number of respondents/population who gave correct answer to question 3	-	-	-	-	-	-	-
Number of all respondents age 15-24	-	-	-	-	-	-	-

	All	Males			Females		
		All	15-19	20-24	All	15-19	20-24

Percentage of respondents who gave a correct answer to question 4 «Can a person get HIV from mosquito bites ?» (or country specific question)	-	-	-	-	-	-	-
Number of respondents/population who gave correct answer to question 4	-	-	-	-	-	-	-
Number of all respondents age 15-24	-	-	-	-	-	-	-

	All	Males			Females		
		All	15-19	20-24	All	15-19	20-24
Percentage of respondents who gave a correct answer to question 5 «Can a person get HIV from sharing food with someone who is infected ?» (or country specific question)	-	-	-	-	-	-	-
Number of respondents/population who gave correct answer to question 5	-	-	-	-	-	-	-
Number of all respondents age 15-24	-	-	-	-	-	-	-

## Indicator 14 - Knowledge about HIV Prevention: Sex Workers-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of sex workers who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission	-	-	-	-	-
Number of sex workers who gave correct answer to all 5 questions	-	-	-	-	-
Number of sex workers who gave answers, including «don't know», to all questions	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of sex workers who gave correct answer to question 1 «Can having sex with only one faithful, uninfected partner reduce the risk of HIV transmission ?»	-	-	-	-	-
Number of sex workers who gave correct answer to question 1	-	-	-	-	-
Number of sex workers who gave answers, including «don't know», to question 1	-	-	-	-	-

--	--	--	--	--	--

	All	Males	Females	<25	25+
Percentage of sex workers who gave correct answer to question 2 «Can using condoms reduce the risk of HIV infection ?»	-	-	-	-	-
Number of sex workers who gave correct answer to question 2	-	-	-	-	-
Number of sex workers who gave answers, including «don't know», to question 2	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of sex workers who gave correct answer to question 3 «Can a healthy-looking person have HIV ?»	-	-	-	-	-
Number of sex workers who gave correct answer to question 3	-	-	-	-	-
Number of sex workers who gave answers, including «don't know», to question 3	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of sex workers who gave correct answer to question 4 «Can a person get HIV from mosquito bites ?» (or country specific question)	-	-	-	-	-
Number of sex workers who gave correct answer to question 4	-	-	-	-	-
Number of sex workers who gave answers, including «don't know», to question 4	-	-	-	-	-

	All	Males	Females	<25	25+



<b>Percentage of sex workers who gave correct answer to question 5 «Can a person get HIV from sharing food with someone who is infected ?» (or country specific question)</b>	-	-	-	-	-
<b>Number of sex workers who gave correct answer to question 5</b>	-	-	-	-	-
<b>Number of sex workers who gave answers, including «don't know», to question 5</b>	-	-	-	-	-

## Indicator 14 - Knowledge about HIV Prevention: Men Who have Sex with Men-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	<25	25+
Percentage of men who have sex with men who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission	-	-	-
Number of men who have sex with men who gave correct answers to all 5 questions	-	-	-
Number of men who have sex with men who gave answers, including «don't know», to all questions	-	-	-

	All	<25	25+
Percentage of men who have sex with men who gave a correct answer to question 1 «Can having sex with only one faithful, uninfected partner reduce the risk of HIV transmission ?»	-	-	-
Number of men who have sex with men who gave correct answer to question 1	-	-	-
Number of men who have sex	-	-	-

with men who gave answers, including «don't know», to question 1			
--	--	--	--

	All	<25	25+
Percentage of men who have sex with men who gave a correct answer to question 2 «Can using condoms reduce the risk of HIV transmission ?»	-	-	-
Number of men who have sex with men who gave correct answer to question 2	-	-	-
Number of men who have sex with men who gave answers, including «don't know», to question 2	-	-	-

	All	<25	25+
Percentage of men who have sex with men who gave a correct answer to question 3 «Can a healthy-looking person have HIV" ?	-	-	-
Number of men who have sex with men who gave correct answer to question 3	-	-	-
Number of men who have sex with men who gave answers, including «don't know», to question 3	-	-	-

	All	<25	25+
Percentage of men who have sex with men who gave a correct answer to question 4 «Can a person get HIV from mosquito bites ?" (or country specific question)	-	-	-

Number of men who have sex with men who gave correct answer to question 4	-	-	-
Number of men who have sex with men who gave answers, including «don't know», to question 4	-	-	-

	All	<25	25+
Percentage of men who have sex with men who gave a correct answer to question 5 «Can a person get HIV from sharing food with someone who is infected ?» (or country specific question)	-	-	-
Number of men who have sex with men who gave correct answer to question 5	-	-	-
Number of men who have sex with men who gave answers, including «don't know», to question 5	-	-	-

## Indicator 14 - Knowledge about HIV Prevention: Injecting Drug Users-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of injecting drug users who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission	-	-	-	-	-
Number of injecting drug users who gave correct answer to all 5 questions	-	-	-	-	-
Number of injecting drug users who gave answers, including «don't know», to all questions	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of injecting drug users who gave correct answer to question 1 «Can having sex with only one faithful, uninfected partner reduce the risk of HIV transmission ?»	-	-	-	-	-
Number of injecting drug users who gave correct answer to question 1	-	-	-	-	-
Number of injecting drug users who gave answers, including «don't know», to question 1	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of injecting drug users who gave correct answer to question 2 «Can using condoms reduce the risk of HIV transmission ?»	-	-	-	-	-
Number of injecting drug users who gave correct answer to question 2	-	-	-	-	-
Number of injecting drug users who gave answers, including «don't know», to question 2	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of injecting drug users who gave correct answer to question 3 «Can a healthy-looking person have HIV ?»	-	-	-	-	-
Number of injecting drug users who gave correct answer to question 3	-	-	-	-	-
Number of injecting drug users who gave answers, including «don't know», to question 3	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of injecting drug users who gave correct answer to question 4 «Can a person get HIV from mosquito bites ?» (or country specific question)	-	-	-	-	-
Number of injecting drug users who gave correct answer to question 4	-	-	-	-	-
Number of injecting drug users who gave answers, including «don't know», to question 4	-	-	-	-	-

	All	Males	Females	<25	25+
Percentage of injecting drug users who gave correct answer to question 5 «Can a person get HIV from sharing food with someone who is infected ?» (or country specific question)	-	-	-	-	-
Number of injecting drug users who gave correct answer to question 5	-	-	-	-	-
Number of injecting drug users who gave answers, including «don't know», to question 5	-	-	-	-	-

## Indicator 15 - Sex Before the Age of 15-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males			Females		
		All	15-19	20-24	All	15-19	20-24
Percentage of young women and men aged 15-24 who have had sexual intercourse before the age of 15	-	-	-	-	-	-	-
Number of young women and men aged 15-24 who have had sexual intercourse before the age of 15	-	-	-	-	-	-	-
Number of all respondents aged 15-24	-	-	-	-	-	-	-



## Indicator 16 - Higher-risk Sex-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males				Females			
		All	15-19	20-24	25-49	All	15-19	20-24	25-49
Percentage of respondents aged 15-49 who have had sexual intercourse with more than one partner in the last 12 months	-	-	-	-	-	-	-	-	-
Number of respondents aged 15-49 who have had sexual intercourse with more than one partner in the last 12 months	-	-	-	-	-	-	-	-	-
Number of all respondents aged 15-49	-	-	-	-	-	-	-	-	-

**Indicator 17 - Condom Use During Higher-risk Sex-2009**

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males				Females			
		All	15-19	20-24	25-49	All	15-19	20-24	25-49
Percentage of women and men aged 15-49 who have had more than one sexual partner in the past 12 months who also reported that a condom was used the last time they had sex	-	-	-	-	-	-	-	-	-
Number respondents aged 15-49 who have had more than one sexual partner in the past 12 months who also reported that a condom was used the last time they had sex	-	-	-	-	-	-	-	-	-
Number of all respondents aged 15-49 who reported having had more than one sexual partner in the last 12 months	-	-	-	-	-	-	-	-	-

## Indicator 18 - Sex Workers: Condom Use-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of female and male sex workers reporting the use of a condom with their most recent client	-	-	-	-	-
Number of female and male sex workers reporting the use of a condom with their most recent client	-	-	-	-	-
Number of sex workers who reported having commercial sex in the last 12 months	-	-	-	-	-

## Indicator 19 - Men Who Have Sex with Men: Condom Use-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	<25	25+
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	-	-	-
Number of men reporting the use of a condom the last time they had anal sex with a male partner	-	-	-
Number of respondents who reported having had anal sex with a male partner in the last six months	-	-	-

## Indicator 20 - Injecting Drug Users: Condom Use-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of injecting drug users reporting the use of a condom the last time they had sex	-	-	-	-	-
Number of injecting drug users reporting the use of a condom the last time they had sex	-	-	-	-	-
Number of respondents who reported having had sexual intercourse in the last month	-	-	-	-	-

## Indicator 21 - Injecting Drug Users: Safe Injecting Practices-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of injecting drug users reporting the use of sterile injecting equipment the last time they injected drugs	-	-	-	-	-
Number of injecting drug users who report using sterile injecting equipment the last time they injected drugs	-	-	-	-	-
Number of injecting drug users who report injecting drugs in the last month	-	-	-	-	-

## Indicator 22 - Reduction in HIV Prevalence-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All	15-19	20-24
Percentage of young people aged 15-24 who are HIV-infected	-	-	-
Number of antenatal clinic attendees (aged 15-24) tested whose HIV test results are positive	-	-	-
Number of antenatal clinic attendees (aged 15-24) tested for their HIV infection status	-	-	-

## Indicator 23 - Reduction in HIV Prevalence: Sex Workers-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of sex workers who are HIV-infected	-	-	-	-	-
Number of sex workers who test positive for HIV	-	-	-	-	-
Number of sex workers tested for HIV	-	-	-	-	-



## Indicator 23 - Reduction in HIV Prevalence: Men Who have Sex with Men-2009

---

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	<25	25+
Percentage of men who have sex with men who test positive for HIV	-	-	-
Number of men who have sex with men who test positive for HIV	-	-	-
Number of men who have sex with men tested for HIV	-	-	-

## Indicator 23 - Reduction in HIV Prevalence: Injecting Drug Users-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<25	25+
Percentage of injecting drug users who test positive for HIV	-	-	-	-	-
Number of injecting drug users who test positive for HIV	-	-	-	-	-
Number of injecting drug users tested for HIV	-	-	-	-	-

## Indicator 24 - HIV Treatment: Survival After 12 Months on Antiretroviral Therapy-2009

Indicator Relevance \*: -

Data Measurement Tool \*: -

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Sample Size of Survey Respondents: -

Comments: -

	All	Males	Females	<15	15+
Percentage of adults and children with HIV known to be on treatment 12 months after initiating antiretroviral therapy	-	-	-	-	-
Number of adults and children who are still alive and on ART at 12 months after initiating treatment	-	-	-	-	-
Total number of adults and children who initiated ART during the twelve months prior to the beginning of the reporting period, including those who have died, those who have stopped ART, and those lost to follow-up	-	-	-	-	-

## Indicator 25 - Reduction in Mother-to-child Transmission-2009

Indicator Relevance \*: -

Data Measurement Tool \*: Spectrum Only

From: -

To: -

If your country has set targets for this indicator please provide these figures for following years

2010: -

2015: -

Comments: -

	All
Percentage of infants born to HIV-infected mothers who are infected	-
Estimated number of new infant HIV infections	-
Estimated number of HIV positive pregnant women	-